Neuroscience Letters, 224 (1997) 219–221
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abusaad, I., see Arranz, M.J., 95
Åhlin, A., see Hahne, S., 99
Akaike, A., see Maeda, T., 103
Akiyama, H., see Nishimura, T., 169
Albus, M., see Arranz, M.J., 95
Amann, R., see Schuligoi, R., 136
Amir, S., Edelstein, K., A blocker of nitric oxide synthase, N^G-nitro-l-arginine methyl ester, attenuates light-induced Fos protein expression in rat suprachiasmatic nucleus, 29
Angelberger, P., see Schuligoi, R., 136
Appel, S.H., see Le, W., 197
Arai, R., see Nagatsu, I., 185
Arai, T., see Nishimura, T., 169
Armstrong, R.A., Cairns, N.J., Lantos, P.L., Dementia with Lewy bodies: clustering of Lewy bodies in human patients, 41
Arranz, M.J., Erdmann, J., Kirov, G., Rietschel, M., Sodhi, M., Albus, M., Ball, D., Maier, W., Davies, N., Franzek, E., Abusaad, I., Weigelt, B., Murray, R., Shimron-Abarbanell, D., Kerwin, R., Propping, P., Sham, P., Nöthen, M.M., Collier D.A., 5-HT_{2A} receptor and bipolar affective disorder: association studies in affected patients, 95

Babstock, D., Malsbury, C.W., Harley, C.W., The dorsal locus coeruleus is larger in male than in female Sprague–Dawley rats, 157
Bagetta, G., Corasaniti, M.T., Costa, N., Berliocchi, L., Finazzi-Agrò, A., Nisticò, G., The human immunodeficiency virus type 1 (HIV-1) glycoprotein gp120 reduces the expression of neuronal nitric oxide synthase in the hippocampus but not in the cerebral cortex and medial septal nucleus of rat, 75
Ball, D., see Arranz, M.J., 95
Bare, D.J., see Simon, J.R., 201
Bastianelli, E., see Dethy, S., 25
Berliocchi, L., see Bagetta, G., 75
Birbaumer, N., see Flor, H., 5
Bittinger, F., see Wessler, I., 173
Boithias, C., see Bourre, J.M., 1
Bokil, H.S., see Porter, J.P., 161
Bou, C., see Hilaire, G., 13
Bourre, J.M., Dinh, L., Boithias, C., Dumont, O., Piciotti, M., Cunnane, S., Possible role of the choroid plexus in the supply of brain tissue with polyunsaturated fatty acids, 1
Braun, C., see Flor, H., 5
Brewer, G.J., see McManus, D.Q., 193
Brosius, J., see Cheng, J.-G., 206

Cairns, N.J., see Armstrong, R.A., 41
Chen, Y., Penington, N.J., $QEHA_{27}$, a peptide that binds to G-protein $\beta\gamma$-subunits, reduces the inhibitory effect of 5-HT on the Ca^{2+} current of rat dorsal raphe neurons, 87
Cheng, J.-G., Tiedge, H., Brosius, J., Expression of dendritic BC200 RNA, components of a 11.4S ribonucleoprotein particle, is conserved in humans and simians, 206
Cheung, S., Hammer Jr., R.P., Gonadal steroid hormone regulation of proopiomelanocortin gene expression in neurons that innervate the median eminence of the rat, 181
Collier D.A., see Arranz, M.J., 95
Corasaniti, M.T., see Bagetta, G., 75
Costa, N., see Bagetta, G., 75
Cunnane, S., see Bourre, J.M., 1

Daum, I., see Schugens, M.M., 57
Davies, N., see Arranz, M.J., 95
De Grandis, D., see Eleopra, R., 91
de Weerd, H., see VanderHorst, V.G.J.M., 33
Dethy, S., Manto, M., Bastianelli, E., Gangji, V., Laute, M.A., Goldman, S., Hildebrand, J., Cerebellar spongiform degeneration induced by acute lithium intoxication in the rat, 25
Dinh, L., see Bourre, J.M., 1
Dumont, O., see Bourre, J.M., 1

Eales, J.G., see Morin, P.-P., 216
Edelstein, K., see Amir, S., 29
Eder, U., Hukkanen, M., Leitner, B., Muhr, E., Went, P., Kirchmair, R., Fischer-Colbrie, R., Polak, J.M., Winkler, H., The presence of secretoneurin in human synovium and synovial fluid, 139
Egerter, R., see Schugens, M.M., 57
Elbert, T., see Flor, H., 5
Eleopra, R., Tugnoli, V., Rossetto, O., Montecucco, C., De Grandis, D., Botulinum neurotoxin serotype C: a novel effective botulinum toxin therapy in human, 91
Erdmann, J., see Arranz, M.J., 95
Everall, I.P., Hudson, L., Kerwin, R.W., Decreased absolute levels of ascorbic acid and unaltered vasoactive intestinal polypeptide receptor binding in the frontal cortex in acquired immunodeficiency syndrome, 119

Fan, Z., see Greenwood, R.S., 66
Feigenbaum, J.J., Howard, S.G., Naloxone reverses the inhibitory effect of γ-hydroxybutyrate on central DA release in vivo in awake animals: a microdialysis study, 71
Finazzi-Agrò, A., see Bagetta, G., 75
Fischer-Colbrie, R., see Eder, U., 139
Flor, H., Braun, C., Elbert, T., Birbaumer, N., Extensive reorganization of primary somatosensory cortex in chronic back pain patients, 5
Franzek, E., see Arranz, M.J., 95
Furiya, Y., see Nishimura, T., 169

Gangji, V., see Dethy, S., 25
Ghetti, B., see Simon, J.R., 201
Giffard, R.G., see Xu, L., 9
Goldman, S., see Dethy, S., 25
Grafe, P., see Mayer, C., 49
Greenfield, S.A., see McGroarty, A., 211
Greenwood, R.S., Fan, Z., Meeker, R., Persistent elevation of corticotrophin releasing factor and vasopressin but not oxytocin mRNA in the rat after kindled seizures, 66

Hahne, S., Nordstedt, C., Åhlin, A., Nybäck, H., Levels of cerebrospinal fluid apolipoprotein E in patients with Alzheimer's disease and healthy controls, 99
Hájek, I., see Samková, L., 21
Hammer Jr., R.P., see Cheung, S., 181
Hara, T.J., see Morin, P.-P., 216
Hari, R., see Uusitalo, M.A., 45
Harley, C.W., see Babstock, D., 157
Hayase, M., see Satoh, N., 149
Higuchi, T., see Kohno, K., 17
Hilaire, G., Bou, C., Monteau, R., Rostral ventrolateral medulla and respiratory rhythmogenesis in mice, 13

Hildebrand, J., see Dethy, S., 25
Holstege, G., see VanderHorst, V.G.J.M., 33
Horschke, I., see Zupanc, G.K.H., 123
Hosoda, K., see Satoh, N., 149
Howard, S.G., see Feigenbaum, J.J., 71
Hsu, K.-S., Yang, C.-H., Huang, C.-C., Carbachol induces inward current in rat neostriatal neurons through a G-protein-coupled mechanism, 79
Hu, X.-T., White, F.J., Dopamine enhances glutamate-induced excitation of rat striatal neurons by cooperative activation of D1 and D2 class receptors, 61
Huang, C.-C., see Hsu, K.-S., 79
Hudson, L., see Everall, I.P., 119
Hukkanen, M., see Eder, U., 139

Ikeda, K., see Nishimura, T., 169
Illnerová, H., see Samková, L., 21
Imagawa, K., see Satoh, N., 149
Iseki, E., see Nishimura, T., 169

Jankovic, J., see Le, W., 197
Jia, H., see Zhang, S., 142
Jousmäki, V., see Uusitalo, M.A., 45

Kakiuchi, T., see Tsujimoto, T., 111
Kamleiter, M., see Mayer, C., 49
Kaneko, S., see Maeda, T., 103
Karasawa, N., see Nagatsu, I., 185
Kato, M., see Nishimura, T., 169
Katsuura, G., see Satoh, N., 149
Kerwin, R., see Arranz, M.J., 95
Kerwin, R.W., see Everall, I.P., 119
Kimura, S., see Yamamoto, T., 107
Kirchmair, R., see Eder, U., 139
Kirkpatrick, C.J., see Wessler, I., 173
Kirov, G., see Arranz, M.J., 95
Klockgether, T., see Schugens, M.M., 57
Kohno, K., Higuchi, T., Ohta, S., Kohno, K., Kumon, Y., Sakaki, S., Neuroprotective nitric oxide synthase inhibitor reduces intracellular calcium accumulation following transient global ischemia in the gerbil, 17
Kohno, K., see Kohno, K., 17
Kondo, H., see Nishimura, T., 169
Kong, R., see Le, W., 197
Kress, M., Reeh, P.W., Vyklicky, L., An interaction of inflammatory mediators and protons in small diameter dorsal root ganglion neurons of the rat, 37
Kumon, Y., see Kohno, K., 17

Lantos, P.L., see Armstrong, R.A., 41
Laute, M.A., see Dethy, S., 25
Le, W., Jankovic, J., Xie, W., Kong, R., Appel, S.H., (–)-Deprenyl protection of 1-methyl-4 phenylpyridium ion (MPP^+)-induced apoptosis independent of MAO-B inhibition, 197
Leitner, B., see Eder, U., 139
Löschmann, P.-A., see Schugens, M.M., 57
Lowry, T., see Sasahira, M., 177
Lui, P.-W., Involvement of spinal adenosine A_1 and A_2 receptors in fentanyl-induced muscular rigidity in the rat, 189

Maeda, T., Kaneko, S., Akaike, A., Satoh, M., Direct evidence for increase in excitatory amino acids release during mossy fiber LTP in rat hippocampal slices as revealed by the patch sensor methods, 103
Maekawa, S., see Yamamoto, Y., 127
Maier, W., see Arranz, M.J., 95
Malsbury, C.W., see Babstock, D., 157
Manto, M., see Dethy, S., 25
Mawal, Y.R., see Rao, K.V.R., 83
Mayer, C., Wächtler, J., Kamleiter, M., Grafe, P., Intracellular calcium transients mediated by P2 receptors in the paranodal Schwann cell region of myelinated rat spinal root axons, 49
Mazarati, A.M., Wasterlain, C.G., Selective facilitation of kindled seizures from the amygdala after hippocampal lesions induced by perforant path stimulation, 165
McGroarty, A., Greenfield, S.A., 6-Hydroxy dopamine lesions block a tolbutamide-sensitive K^+ conductance in the guinea-pig substantia nigra, 211
McManus, D.Q., Brewer, G.J., Culture of neurons from postmortem rat brain, 193
Meeker, R., see Greenwood, R.S., 66
Michon, A.L., Persinger, M.A., Experimental simulation of the effects of increased geomagnetic activity upon nocturnal seizures in epileptic rats, 53
Monteau, R., see Hilaire, G., 13
Montecucco, C., see Eleopra, R., 91
Mori, H., see Nishimura, T., 169
Morin, P.-P., Winberg, S., Nilsson, G.E., Hara, T.J., Eales, J.G., Effects of L-thyroxine on brain monoamines during parr-smolt transformation of Atlantic salmon (*Salmo Salar* L.), 216
Muhr, E., see Eder, U., 139
Murray, R., see Arranz, M.J., 95

Nagatsu, I., Arai, R., Sakai, M., Yamawaki, Y., Takeuchi, T., Karasawa, N., Nagatsu, T., Immunohistochemical colocalization of GTP cyclohydrolase I in the nigrostriatal system with tyrosine hydroxylase, 185
Nagatsu, T., see Nagatsu, I., 185
Nakao, K., see Satoh, N., 149
Nilsson, G.E., see Morin, P.-P., 216
Nishi, S., see Satoh, N., 149
Nishikawa, S., see Tsujimoto, T., 111
Nishimura, T., Ikeda, K., Akiyama, H., Arai, T., Kondo, H., Okochi, M., Furiya, Y., Mori, H., Oda, T., Kato, M., Iseki, E., Glial tau-positive structures lack the sequence encoded by exon 3 of the tau protein gene, 169
Nisticò, G., see Bagetta, G., 75
Nordstedt, C., see Hahne, S., 99
Nöthen, M.M., see Arranz, M.J., 95
Nozaki-Taguchi, N., see Yamamoto, T., 107
Nybäck, H., see Hahne, S., 99

Oda, T., see Nishimura, T., 169
Ofer, A., see Scharfman, H.E., 115
Ogawa, M., see Tsujimoto, T., 111
Ogawa, Y., see Satoh, N., 149
Ohta, S., see Kohno, K., 17
Okochi, M., see Nishimura, T., 169
Orrego, F., see Wyneken, U., 131

Penington, N.J., see Chen, Y., 87
Persinger, M.A., see Michon, A.L., 53
Peskar, B.A., see Schuligoi, R., 136
Piciotti, M., see Bourre, J.M., 1

Polak, J.M., see Eder, U., 139
Porter, J.P., Bokil, H.S., Effect of intracerebroventricular and intravenous insulin on Fos-immunoreactivity in the rat brain, 161
Propping, P., see Arranz, M.J., 95

Qureshi, I.A., see Rao, K.V.R., 83

Rao, K.V.R., Mawal, Y.R., Qureshi, I.A., Progressive decrease of cerebral cytochrome C oxidase activity in sparse-fur mice: role of acetyl-L-carnitine in restoring the ammonia-induced cerebral energy depletion, 83
Reeh, P.W., see Kress, M., 37
Reinheimer, T., see Wessler, I., 173
Richter, J.A., see Simon, J.R., 201
Rietschel, M., see Arranz, M.J., 95
Riquelme, G., see Wyneken, U., 131
Rossetto, O., see Eleopra, R., 91
Roth, G., see Schlosser, G., 153

Sakai, M., see Nagatsu, I., 185
Sakaki, S., see Kohno, K., 17
Samková, L., Vondrasová, D., Hájek, I., Illnerová, H., A fixed morning awakening coupled with a low intensity light maintains a phase advance of the human circadian system, 21
Sasahira, M., Lowry, T., Simon, R.P., Neuronal injury in experimental status epilepticus in the rat: role of acidosis, 177
Sasaki, K., see Tsujimoto, T., 111
Satoh, M., see Maeda, T., 103
Satoh, N., Ogawa, Y., Katsuura, G., Hayase, M., Tsuji, T., Imagawa, K., Yoshimasa, Y., Nishi, S., Hosoda, K., Nakao, K., The arcuate nucleus as a primary site of satiety effect of leptin in rats, 149
Scharfman, H.E., Ofer, A., Pretreatment with L-kynurenine, the precursor to the excitatory amino acid antagonist kynurenic acid, suppresses epileptiform activity in combined entorhinal/hippocampal slices, 115
Schenda, J., see Wessler, I., 173
Schepelmann, K., see Schugens, M.M., 57
Schlosser, G., Roth, G., Development of the retina is altered in the directly developing frog *Eleutherodactylus coqui* (Leptodactylidae), 153
Schugens, M.M., Egerter, R., Daum, I., Schepelmann, K., Klockgether, T., Löschmann, P.-A., The NMDA antagonist memantine impairs classical eyeblink conditioning in humans, 57
Schuligoi, R., Amann, R., Angelberger, P., Peskar, B.A., Determination of nociceptin-like immunoreactivity in the rat dorsal spinal cord, 136
Sham, P., see Arranz, M.J., 95
Shimron-Abarbanell, D., see Arranz, M.J., 95
Simon, J.R., Bare, D.J., Ghetti, B., Richter, J.A., A possible role for tyrosine kinases in the regulation of the neuronal dopamine transporter in mouse striatum, 201
Simon, R.P., see Sasahira, M., 177
Sodhi, M., see Arranz, M.J., 95
Sokawa, Y., see Yamamoto, Y., 127
Stroh, T., see Zupanc, G.K.H., 123

Takeuchi, T., see Nagatsu, I., 185
Tang, J.-S., see Zhang, S., 142
Tiedge, H., see Cheng, J.-G., 206
Tsuji, T., see Satoh, N., 149
Tsujimoto, T., Ogawa, M., Nishikawa, S., Tsukada, H., Kakiuchi, T., Sasaki, K., Activation of the prefrontal, occipital and parietal cortices during go/no-go discrimination tasks in the monkey as revealed by positron emission tomography, 111
Tsukada, H., see Tsujimoto, T., 111
Tugnoli, V., see Eleopra, R., 91

Uusitalo, M.A., Jousmäki, V., Hari, R., Activation trace lifetime of human cortical responses evoked by apparent visual motion, 45

VanderHorst, V.G.J.M., de Weerd, H., Holstege, G., Evidence for monosynaptic projections from the nucleus retroambiguus to hindlimb motoneurons in the cat, 33
Villanueva, S., see Wyneken, U., 131
Vollrath, L., see Wessler, I., 173
Vondrasová, D., see Samková, L., 21
Vyklicky, L., see Kress, M., 37

Wächtler, J., see Mayer, C., 49
Wasterlain, C.G., see Mazarati, A.M., 165
Weigelt, B., see Arranz, M.J., 95
Went, P., see Eder, U., 139
Wessler, I., Reinheimer, T., Bittinger, F., Kirkpatrick, C.J., Schenda, J., Vollrath, L., Day-night rhythm of acetylcholine in the rat pineal gland, 173
White, F.J., see Hu, X.-T., 61
Winberg, S., see Morin, P.-P., 216
Winkler, H., see Eder, U., 139
Wyneken, U., Riquelme, G., Villanueva, S., Orrego, F., Effect of glutamate receptor phosphorylation by endogenous protein kinases on electrical activity of isolated postsynaptic densities of rat cortex and hippocampus, 131

Xie, W., see Le, W., 197
Xu, L., Giffard, R.G., HSP70 protects murine astrocytes from glucose deprivation injury, 9

Yamamoto, T., Nozaki-Taguchi, N., Kimura, S., Effects of intrathecally administered nociceptin, an opioid receptor-like$_1$ (ORL$_1$) receptor agonist, on the thermal hyperalgesia induced by unilateral constriction injury to the sciatic nerve in the rat, 107
Yamamoto, Y., Sokawa, Y., Maekawa, S., Biochemical evidence for the presence of NAP-22, a novel acidic calmodulin binding protein, in the synaptic vesicles of rat brain, 127
Yamawaki, Y., see Nagatsu, I., 185
Yang, C.-H., see Hsu, K.-S., 79
Yoshimasa, Y., see Satoh, N., 149
Yuan, B., see Zhang, S., 142

Zhang, S., Tang, J.-S., Yuan, B., Jia, H., Involvement of the frontal ventrolateral orbital cortex in descending inhibition of nociception mediated by the periaqueductal gray in rats, 142
Zupanc, G.K.H., Horschke, I., Stroh, T., Expression of somatostatin in neurons of the central posterior/prepacemaker nucleus projecting to the preglomerular nucleus: immunohistochemical evidence for a non-synaptic function, 123